

## Properties of the DirectTex® digital print media

Printing application	Article		Weight	Material			Type	Widths and lengths						Packing	Printing methods			Certifications					Cutting methods					
	Name	Article number		g/m <sup>2</sup>	Trevira CS	Polyester		Cotton	Woven fabric	Knitted fabric	155 cm (61 inch)	160 cm (63 inch)	252 cm (99 inch)		310 cm (122 inch)	320 cm (126 inch)	505 cm (199 inch)	Parcelled in cartons	UV	Dyesub	Latex	HP-certified	HP-Durable Textiles	FR-Certifications			OEKOTEX	Cold
News	AKUSTICO® NewLife FR	DTX 606252 172	ca. 280	• <sup>1</sup>	•				50	50					•	•	•	•			•		•	*		•	•	•
	PES Mesh	DTX 599240 139	ca. 235	•			•		50	50	50	50			•	•	•				•		•	•	•	•	•	•
	PES Solid Tarp	DTX 513230 171	ca. 250	•			•		50		100				•	•	•				•		•			•	•	•
	Softimage Satori	DTX 599235 193	ca. 250	•			•		100	100	100				•		•				•		•	*		•	•	•
	Softimage Satori Antibac	DTX 599235 194	ca. 250	•			•		100	100	100				•		•				•		•	*		•	•	•
Backlit	Artist Mambo®	DTX 564160 137	ca. 170	•			•		50	100	100	50			•	•	•				•		•		•	•	•	•
	Artist Mambo® Antibac	DTX 564160 184	ca. 170	•			•		50	100	100	50			•	•	•				•		•		•	•	•	•
	Backlite Premium	DTX 599280 139	ca. 260	•			•				50		50		•	•	•				•		•		•	•	•	•
	Illuminati	DTX 599292 139	ca. 310	•			•		50	50		50			•	•	•				•		•		•	•	•	•
Blackout	Stretch Twill Soft	DTX 584097 123	ca. 120	•			•		50	100	100				•	•	•				•		•		•	•	•	•
	Softimage Contrast®	DTX 599150 150	ca. 210	•			•		50	100	100	50			•	•	•				•		•		•	•	•	•
	Softimage Contrast® Antibac	DTX 599150 190	ca. 210	•			•		50	100	100	50			•	•	•				•		•		•	•	•	•
Flags	Eco-Beach Jersey	DTX 599094 141	ca. 95	•			•		100	100	100	50			•	•	•				•		•		•	•	•	•
	Flag Supreme	DTX 599096 141	ca. 90	•			•		100	100	100	100			•	•	•				•		•		•	•	•	•
Display	Poplin Plus	DTX 599200 129	ca. 175	•			•				100	100	50		•	•	•				•		•		•	•	•	•
	Softimage 240®	DTX 599250 129	ca. 240	•			•		50	100	100	50			•	•	•				•		•		•	•	•	•
Banner	Softimage Creaseless Premium®	DTX 599221 159	ca. 220	•			•		50	100	100	50			•	•	•	•			•		•		•	•	•	•
	Softimage Creaseless Premium® Antibac	DTX 599221 189	ca. 230	•			•		50	100	100	50			•	•	•	•			•		•		•	•	•	•
Acoustic	AKUSTICO®	DTX 506251 113	ca. 270	•			•		50		50				•	•	•	•			•		•		•	•	•	•
	Softimage Elastico®	DTX 599190 129	ca. 175	•			•		50	100		50			•	•	•				•		•		•	•	•	•
Spezials	Softimage Elastico® Antibac	DTX 599190 192	ca. 175	•			•		50	100		50			•	•	•				•		•		•	•	•	•
	Spinnaker Economy	DTX 501065 119	ca. 65	•			•		100		100	50	50		•	•	•	•			•		•		•	•	•	•
Canvas	PES Theatre Soft	DTX 550290 120	ca. 315	•			•				50	50			•	•	•	•			•		•		•	•	•	•

<sup>1</sup> recycled  
 \* in testing

We reserve the right for technical modifications.  
 The above mentioned details are non-binding.  
 A tolerance of ± 5% is valid.

Effective: 2021/02



## Properties of the materials for walls, ceilings & panels

Printing application	Article		Weight g/m <sup>2</sup>	Material			Type		Widths and lengths								Packing Parcelled in cartons	Printing methods			Certifications					Cutting methods									
	Name	Article number		Trevira CS	Polyester	Cotton	Woven fabric	Knitted fabric	155 cm (61 inch)	160 cm (63 inch)	252 cm (99 inch)	270 cm (106 inch)	310 cm (122 inch)	320 cm (126 inch)	410 cm (161 inch)	420 cm (165 inch)		505 cm (199 inch)	520 cm (205 inch)	UV	Dyesub	Latex	HP-certified	HP-Durable Textiles	DIN EN 13501-1 B-s1, 00	NF P 92 503-507 (M1)	Class A ASTM E84-16	NFPA 701	OEKOTEX	Cold	Heat	Ultrasonic			
News	SILENCIO® Size 2.5	PTX 687302 003	ca. 300	•				50	50	50			50					•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			
	DESCOR® Backlit	599239 193	ca. 250	•	•		•		100	100			100					•	•			• <sup>3</sup>						•	•	•	•				
	DESCOR® Backlit Antibac	599239 194	ca. 250	•			•		100	100			100					•	•			• <sup>3</sup>						•	•	•	•	•			
Walls and Ceiling	DESCOR® PREMIUM	599130 450	ca. 245	•			•						50				50	•	•			•	•		•			•	•	•	•	•			
	DESCOR® PREMIUM black	699148 264	ca. 180	•			•						50				50	•	•			•	•		•			•	•	•	•	•			
	DESCOR® PREMIUM Antibac	599131 550	ca. 245	•			•						50	50			50	•	•			•	•		•			•	•	•	•	•	•		
	DESCOR® PREMIUM Colour	599142	ca. 255-295	•			•						50				50	•	•			•	•		•			•	•	•	•	•	•		
	DESCOR® PREMIUM Gradient	699149	ca. 250-310	•			•						50	50			50	•	•			•	•		•			•	•	•	•	•	•		
	DESCOR® PREMIUM Star	699143 157	ca. 245	•			•						50	50			50	•	•			•	•		•			•	•	•	•	•	•		
	DESCOR® PREMIUM Star black	699143 164	ca. 185	•			•						50	50			50	•	•			•	•		•			•	•	•	•	•	•		
Acoustic	Acoustic Fleece	001425 270	ca. 400 <sup>1</sup>	•								20					•	•			•	•		•			•	•	•	•	•	•			
	AKUSTICO®	DTX 506251 113	ca. 270	•		•		50				50					•	•	•	•		•	•		•			•	•	•	•	•	•		
	AKUSTICO® NewLife FR	DTX 606252 172	ca. 280	• <sup>2</sup>		•		50				50					•	•	•	•		•	•		•			•	•	•	•	•	•		
	DESCOR® PREMIUM Acoustic	699144 085	ca. 190	•		•						50	50			50	•	•				•	•		•			•	•	•	•	•	•	•	
	DESCOR® PREMIUM Acoustic black	699144 086	ca. 185	•		•						50	50			50	•	•				•	•		•			•	•	•	•	•	•	•	
	SILENCIO® Size 5	PTX 687300 003	ca. 300	•		•		25	25			25				25	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	SILENCIO® Size 5 Colours	687350 002	ca. 350	•		•						25				25	•	•				•	•		•			•	•	•	•	•	•	•	
	SILENCIO® Size 10	PTX 687301 003	ca. 300	•		•		25	25			25				25	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Backlit	DESCOR® Translucent	599189 173	ca. 205	•	•		•	50	100			100			50	•	•		•	•		•	•		•			•	•	•	•	•	•	•	
Blackout	DESCOR® Opaque	599159 151	ca. 210	•		•		50	100			100			50	•	•	•				•	•		•			•	•	•	•	•	•	•	•
	DESCOR® Opaque Antibac	599159 190	ca. 210	•		•		50	100			100			50	•	•	•				•	•		•			•	•	•	•	•	•	•	•
Specials	DESCOR® Diffusor	599099 141	ca. 90	•		•		100	100			100			100	•	•	•				• <sup>3</sup>						•	•	•	•	•	•	•	•

<sup>1</sup> Fleece also available with thickness up to 200 mm and weight up to 4000 g/m<sup>2</sup> on request.

<sup>2</sup> recycled

<sup>3</sup> in testing

We reserve the right for technical modifications. The above mentioned details are non-binding. A tolerance of ± 5% is valid.

Effective: 2021/02